EXT	IDEA/08A 7930 24 Feb 6	¥ 10 €			17 - R. S		2 mg (2)	5 &	10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	110	der allert in der eine Steine Steine Steine Steine	eri i il si dadigirgi edi Siddi i eski ekeeritti ilis Terikangan kee
TO	1							5 6		13	4	41.4244.7014.0
FRO								7		15 16	To delicate proper age.	e talkage (n. 1994), angkan pangangangangan, na
СОМ			The state of the s					es de la companya de	DEFERRED		RORITY	anitiol.
INFO	1 :)CIMINO	ROUTINE		SRATIONAL MELIATE	PRITALE
					0	øs.	10	~XC			0894	10
5X1A6c 5X1A6c 5X1A6c		nfo	INFO		24 22	DI	2		CITE		482	3
•		Logs	25X1A2g									
		N		. 1					ą.			
25X1A6c	REF:	4700	1.5	i ·								

- 1. PURPOSE THIS MSG TO CLARIFY REF AND PROVIDE GUIDANCE FOR FURTHER PLIGHTS TO VALIDATE PERFORMANCE OF DOPPLER NAV SYSTEM.
- 2. AS STATED IN REF, FLIGHT TESTING OF DOPPLER SYSTEM BY HAS

 BEEN COMPLETED. ADDITIONAL FLIGHTS ARE TO PROVIDE TRAINING FOR MISSION

 PILOTS, ESTABLISH SYSTEM RELIABILITY AND DETERMINE DEGREE OF ACCURACY

 OF SYSTEM. HQ DOES NOT BELIEVE FORMAL TEST PROGRAM NECESSARY TO

 ACCOMPLISH THESE GOALS. INSTEAD, DOPPLER SYSTEM SHOULD BE INSTALLED

 IN ALIQUITALIZED AS NAVIGATIONAL AID EACH TIME THE AIRCRAFT

 IS FLOWN ON A NAVIGATIONAL MISSION.
- 25X1D0b SYSTEM, DESIRED DEGREE OF ACCURACY WAS ESTABLISHED AS ERROR OF

25X1D0b
25X1D0b
25X1D0b
SINCE THESE TOLERABLE EERORS
GREATLY EXCEED THE DESIGN SPECIFICATIONS OF THE SYSTEM, INCREMENTAL OFFICER
COOMBAYING OFFICER

REPRODUCTION BY OTHER THAN THE ISSUING OFFICE IS PROHIBITED.

Copy Mo.

CONFI CONFI ROUTINE ROUTINE ROUTINE ROUTINE
OPERATIONAL OPERATIONAL

25X1D0b 25X1D0b

25X1A5a1

4. IN ORDER TO OBTAIN VALID DATA REGARDING THE ACCURACY OF THE SYSTEM, PILOTS SHOULD RECORD POSITION ERROR AT INTERVALS THROUGHOUT THE FLIGHT. THE INTERVALS BETWEEN THESE RECORDINGS SHOULD BE DETERMINED

THEREFORE A SATISFACTORY DOPPLER FLIGHT WILL BE ONE IN WHICH

ENSET FREE STAT, THE SYSTEM ERROR

BY THE FLIGHT DURATION, BUT SHOULD NOT BE GREATER TEAN ONE HOUR.

WHILE THE CAPABILITY OF THE TECHNICAL REPRESENTATIVES FO

THEY ARE NOT CONSIDERED UNREASONABLE;

5. UPN, REQ YOU PROVIDE HQ WITH A MSG, REPORTING DOPPLER SYSTEM.

PERFORMANCE, FOLG EACH FLIGHT WHICH UTILIZES THE DOPPLER NAV SYSTEM.

REPORT SHOULD INCLUDE SYSTEM ERRORS AS RECORDED BY THE PILOT AND THE DISTANCE TRAVELLED FROM THE LAST UP-DATE OF PRESENT POSITION INDICATORS TO THE POINT AT WHICH THE EEROR WAS RECORDED. ALSO INCLUDE ANY ADDITIONAL INFO RELATED TO EYSTEM PERFORMANCE.

ADDITIONAL INFO RELATED TO EYSTEN PERFORMANCE.

6. IT IS PLANNED THAT MAYNTENANCE SUPPORT WILL BE PROVIDED BY

25X1A5a1 TECRNICIANS FROM THESE REPS WILL BE ASSIGNED TO

25X1A5a1 DETACHMENT.

REP. NO CLEARANCE, ARE PRESENTLY AWAITING I-3

AUTHENTICATING OFFICER

RELEASING OFFICER

REPRODUCTION BY OTHER THAN THE ISSUING OFFICE IS PROHIBITED. COM

		dlassified message	2		The state of the s	The grow against the court of t
ORIG:	Annroyed For Pologoe 1	999/09/07 : CIA-RDP71B0	Odespo	THE RESIDENCE OF THE PERSON NAMED IN COLUMN 2 IN COLUM	UTING ARD	व्यक्त अन्द्र द्वार्थ क्षेत्र
UNIT		SACARDP/160	1 2 2	Z00040t	10	MATTORIA CONTRACTORIA CONTRACTO
EXT :	4		3		112	
			5	4 17651 477	i is	
TO:			6	6 14 14 7 15 15 15 15 15 15 15 15 15 15 15 15 15		
FROM:			8		16	
CONF			THE COLUMN TWO IS NOT	DEFERRED	PRIORITY	Intrals
INFO:				ROUTINE	OPERATIONAL IMMEDIATE	MILALS
					08940	
	PAGE THREE					
70		NFO		GTE		
	CERTIFICATIONS THESE	ARE EXPECTED TO BE C	OMPLET	K RV 31 N	ABCU 1087	
25X1A6a	IN THE INTERIM,					
25X1A5a1		WILL SUPPORT THE MA		NCS WITH	Personnel.	
_	AND HATERIEL ASSETS FE		RIECON	ă .		
25X1A5a1 25X1A5a1	THIS EUPPOR	RT WILL INCLUDE		IN HIS I-	2 STATUS.	
25X1A6c	7. FOR THE Y	OU ARE AUTHORIZED DIR	ECT CO	ORDINATIO	N WITH	
25X1A6c		THE DOPPLER SYSTEMS				
				Marie Care		
		END OF MESSAGE				
			The state of the s			
		N/OSA aua				
		SE/OSA RVC.				
		749	i :			
				4. 30		
			1 12 4 18 1			
			No.			
				; · · · · · · · · · · · · · · · · · · ·		
			25	X1A9a		
			11 May 1	9		
25X1A9a						
		COCKBINATER'S OFFICERS	1			
	D/O/OSA		Cocar i	C/	idea/osa	
	RELEASING OFFICER	ANS TON THE PROPERTY OF THE PR	Anti-allem		ICATING OFFICER	Ł
a a constant	Approved For Release 1	OTHER THAN THE ISSUING OFF 999/09/07: CIA-RDP71B0	0263R0	0HBITED. 002000400	05-9	